

Кабели, соединители M 12, RJ45, M23, MIL, SUB-D

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: kgu@nt-rt.ru || сайт: <https://kubler.nt-rt.ru/>

The right connection technology for every application.

Cables and connectors. Field-wireable – prefabricated – unassembled. M12, M23, MIL, SUB-D, RJ45.



M12 Connector with cable ,
Preassembled cable set



Female connector 5-pin
PUR Ø 7,6 mm ± 0,2 mm
2 x 0,34 mm²

05.00.6011.3211.XXXM



M12 Connector with cable ,
Preassembled cable set



Female connector 5-pin
PUR Ø 7,6 mm ± 0,2 mm
2 x 0,34 mm²

05.00.6011.3311.XXXM



M12 Connector with cable ,
Preassembled cable set



Male connector 5-pin
PUR Ø 7,6 mm ± 0,2 mm
2 x 0,34 mm²

05.00.6011.3411.XXXM



M12 Connector with cable ,
Preassembled cable set



Male connector 5-pin



Female connector 5-pin
PUR Ø 7,6 mm ± 0,2 mm
2 x 0,34 mm²

05.00.6011.3432.XXXM



M12 Connector with cable ,
Preassembled cable set



Male connector 5-pin
PUR Ø 7,6 mm ± 0,2 mm
2 x 0,34 mm²

05.00.6011.3511.XXXM



M12 Connector with cable ,
Preassembled cable set



Female connector 5-pin



Male connector 5-pin
PUR Ø 7,6 mm ± 0,2 mm
2 x 0,34 mm²

05.00.6011.3533.XXXM



M12 Connector with cable , Preassembled cable set

CANopen
LIFT
SAE J1939
odbus

Female connector 5-pin
PUR Ø 4,7 mm ± 0,2 mm
4 x 0,34 mm²

05.00.6021.E211.XXXM



M12 Connector with cable , Preassembled cable set

EtherNet/IP
EtherCAT
Conformance tested
PROFI
NET

Male connector 4-pin
PUR Ø 6,5 mm ± mm
2 x 2 x 0,34 mm²

05.00.6031.4411.XXXM



M12 Connector with cable , Preassembled cable set

EtherNet/IP
EtherCAT
Conformance tested
PROFI
NET

Male connector 4-pin



Male connector 4-pin
PUR Ø 6,5 mm ± 0,2 mm
2 x 2 x 0,34 mm²

05.00.6031.4444.XXXM



M12 Connector with cable , Preassembled cable set

EtherNet/IP
EtherCAT
Conformance tested
PROFI
NET

Male connector 4-pin
PUR Ø 6,5 mm ± 0,2 mm
2 x 2 x 0,34 mm²

05.00.6031.4511.XXXM



M12 Connector with cable , Preassembled cable set

EtherNet/IP
EtherCAT
Conformance tested
PROFI
NET

Male connector 4-pin



Female connector 4-pin

05.00.6031.4542.XXXM



M12 Connector with cable , Preassembled cable set

EtherNet/IP
EtherCAT
Conformance tested
PROFI
NET

Male connector 4-pin



Male connector 4-pin

05.00.6031.4544.XXXM



RJ45 Connector with cable , Ethernet cable

Preassembled cable set



Male connector 8-pin



Male connector 4-pin
PUR Ø 6,5 mm ± mm
4 x 0,34 mm²

05.00.6031.7444.XXXM



M12 Connector with cable , mit Edelstahl Überwurf

Preassembled cable set



Male connector 4-pin
PUR Ø 6,5 mm ± mm
1 x 4 x AWG22 mm²

05.00.6031.G411.XXXM



M12 Connector with cable , mit Edelstahl Überwurf

Preassembled cable set



Male connector 4-pin



Male connector 4-pin
PUR Ø 6,5 mm ± mm
1 x 4 x AWG22 mm²

05.00.6031.G4G4.XXXM



M12 Connector with cable , mit Edelstahl Überwurf Preassembled cable set

EtherNet/IP EtherCAT Conformance tested PROFIBUS

Male connector 4-pin
PUR Ø 6,5 mm ± mm
1 x 4 x AWG22 mm²

05.00.6031.G511.XXXM



M12 Connector with cable , Preassembled cable set

Analog output Push-Pull HTL RS422 TTL
SinCos Open Collector NPN SSI
BISS INTERFACE

Female connector 8-pin
PVC Ø 6,7 mm ± 0,2 mm
8 x 0,25 mm²

05.00.6041.8211.XXXM



M12 Connector with cable , Preassembled cable set

Analog output Push-Pull HTL RS422 TTL
SinCos Open Collector NPN SSI
BISS INTERFACE

Female connector 8-pin
PVC Ø 6,7 mm ± 0,2 mm
8 x 0,25 mm²

05.00.6041.8311.XXXM



M12 Connector with cable Preassembled cable set

Analog output Push-Pull HTL RS422 TTL
SinCos Open Collector NPN SSI
BISS INTERFACE

Female connector 8-pin
PUR Ø 6,3 mm ± 0,2 mm
8 x 0,25 mm²

05.00.6051.8211.XXXM



M12 Connector with cable , 05.00.6051.8284.XXXM Preassembled cable set

Analog output Push-Pull HTL RS422 TTL
Open Collector NPN SSI BISS INTERFACE

Female connector 8-pin

05.00.6051.8284.XXXM

Male connector 8-pin
PUR Ø 6,3 mm ± 0,2 mm
8 x 0,25 mm²



M12 Connector with cable , Preassembled cable set

Analog output Push-Pull HTL RS422 TTL

SinCos SSI BISS

Female connector 8-pin
PUR Ø 6,3 mm ± 0,2 mm
8 x 0,25 mm²

05.00.6051.8311.XXXM



M12 Connector with cable , Preassembled cable set

Analog output Push-Pull HTL RS422 TTL

SinCos Open Collector NPN SSI

BISS

Female connector 8-pin
PUR Ø 6,3 mm ± 0,2 mm
8 x 0,25 mm²

05.00.6051.F211.XXXM



M12 Connector with cable , Preassembled cable set

Analog output IO-Link

Female connector 4-pin
PUR Ø 4,7 mm ± mm
4x0,34 mm²

05.00.6061.6211.XXXM



M12 Connector with cable , Preassembled cable set

Analog output IO-Link

Male connector 4-pin
PUR Ø 4,7 mm ± 0,2 mm
4x0,34 mm²

05.00.6061.6311.xxxM



M12 Connector with cable , Preassembled cable set

IO-Link

Female connector 4-pin



Male connector 4-pin
PUR Ø 5,2 mm ± mm
5 x 0,34 mm²

05.00.6061.6364.XXXM



M12 Connector with cable , Preassembled cable set

Analog output IO-Link

Female connector 4-pin



Male connector 4-pin
PUR Ø 4,7 mm ± 0,2 mm
4 x 0,34 mm²

05.00.6061.6462.XXXM



M12 Connector with cable , Preassembled cable set

Analog
output



IO-Link

Female connector 4-pin
PUR Ø 4,7 mm ± 0,2 mm
4 x 0,34 mm²

05.00.6061.D211.XXXM



M12 Connector with cable , mit Edelstahl Überwurf Preassembled cable set



IO-Link

Female connector 4-pin
PUR Ø 4,7 mm ± mm
4 x 0,34 mm²

05.00.6061.D311.XXXM



M12 Connector with cable , mit Edelstahl Überwurf Preassembled cable set



IO-Link

Male connector 4-pin



Female connector 4-pin
PUR Ø 4,7 mm ± mm
4 x 0,34 mm²

05.00.6061.D4D2.XXXM



M12 Connector with cable , Preassembled cable set

CANopen

CANopen
LIFT

SAE J1939

odbus



Female connector 5-pin
PVC Ø 5,5 mm ± 0,2 mm
5 x 0,25 mm²

05.00.6081.2211.XXXM



The right connection technology for every application.

Cables and connectors. Field-wireable – prefabricated – unassembled. M12, M23, MIL, SUB-D, RJ45.



DEUTSCH Connector with cable ,

Preassembled cable set

SAE J1939

Female connector 5-pin



Male connector 6-pin PVC
Ø 6,5 mm ± 0,2 mm
8 x 0,205 mm²

05.00.6091.22C7.XXXM



M12 Connector with cable ,

Preassembled cable set

CANopen LIFT SAE J1939

odbus



Female connector 5-pin
PVC Ø 4,7 mm ± 0,2 mm
3 x 2 x 0,25 mm²

05.00.6091.A211.XXXM



M12 Connector with cable ,

Preassembled cable set

CANopen LIFT SAE J1939

odbus



Female connector 5-pin
PVC Ø 4,7 mm ± 0,2 mm
3 x 2 x 0,25 mm²

05.00.6091.A311.XXXM



M12 Connector with cable ,

Preassembled cable set

CANopen SAE J1939 odbus

IO-Link

Male connector 5-pin PVC
Ø 4,7 mm ± 0,2 mm
3 x 2 x 0,25 mm²

05.00.6091.A411.XXXM



M12 Connector with cable ,

Preassembled cable set

CANopen LIFT SAE J1939

odbus

Female connector 5-pin



Male connector 5-pin PVC
Ø 4,7 mm ± 0,2 mm
3 x 2 x 0,25 mm²

05.00.6091.A4A2.XXXM





M12 Connector with cable , Preassembled cable set

CANopen LIFT SAE J1939

odbus

Male connector 5-pin PVC
Ø 4,7 mm ± 0,2 mm
3 x 2 x 0,25 mm²

05.00.6091.A511.XXXM



M12 Connector with cable , Preassembled cable set

CANopen LIFT SAE J1939

odbus

Female connector 5-pin



Male connector 5-pin PVC
Ø 4,7 mm ± 0,2 mm
3 x 2 x 0,25 mm²

05.00.6091.A5A3.XXXM



RJ45 Connector with cable , Preassembled cable set

EtherNet/IP EtherCAT Conformance tested PROFIBUS

Male connector 4-pin PUR
Ø 4,8 mm ± 0,2 mm
4 x 0,324 mm²

05.00.60A1.7711.XXXM



M12 Connector with cable , Preassembled cable set

CANopen SSI BISS INTERFACE

Female connector 12-pin
PUR Ø 7,5 mm ± mm
6 x 2 x 0,14 mm²

05.00.60B1.B211.XXXM



M12 Connector with cable , Preassembled cable set

Analog output Push-Pull HTL RS422 TTL SinCos
Open Collector NPN SSI BISS INTERFACE

Female connector 8-pin
PUR Ø 6,2 mm ± 0,2 mm
4 x 2 x 0,25 mm²

05.00.60E1.8211.XXXM



M12 Connector with cable , Preassembled cable set

CANopen SAE J1939 odbus

Female connector 5-pin




Male connector 5-pin Ø
5,6 mm ± 0,2 mm
5 x 0,34 mm²

05.00.60F1.A2A4.0xxM





**M12 Connector with cable ,
IO-Link Adapterkabel für IO-
Link Master**
Preassembled cable set



Male connector 5-pin




Female connector 5-pin
PUR Ø 4,3 mm ± 0,2 mm
3 x 0,34 mm²

05.00.60H1.H4H2.01M5.S0



**Connector with cable , Fiber
optic cable set**
Preassembled cable set



Male connector 1-pin



Male connector 1-pin

05.00.60I1.I7I7.XXXM



**M12 Connector ,
Field-wireable connector**



Female connector 5-pin

05.B-8151-0/9



**M12 Connector ,
Field-wireable connector**



Female connector 5-pin

05.B-8251-0/9

The right connection technology for every application.
Cables and connectors. Field-wireable – prefabricated – unassembled. M12, M23, MIL, SUB-D, RJ45.



M12 Connector ,
Field-wireable connector

Analog
output   **IO-Link** 

Female connector 4-pin

05.B8141-0



M12 Connector ,
Field-wireable connector

Analog
output   **IO-Link** 

Female connector 4-pin

05.B8241-0



M12 Connector ,
Field-wireable connector



Male connector 5-pin

05.BMSWS 8151-8.5



M12 Connector ,
Field-wireable connector



Male connector 5-pin

05.BMSWS 8251-8.5



M12 Connector ,
Field-wireable connector



Female connector 5-pin

05.BMWS 8151-8.5



M12 Connector ,
Field-wireable connector



Female connector 5-pin

05.BMWS 8251-8.5





M12 Connector , Field-wireable connector

CANopen **CANopen**
LIFT **SAE J1939**

odbus

Male connector 5-pin

05.BS-8251-0/9



M12 Connector , Field-wireable connector

Analog **IO-Link**

Male connector 4-pin

05.BS8141-0



M12 Connector , Field-wireable connector

Analog Push-Pull HTL RS422 TTL

SinCos Open Collector NPN **SSI**

BISS
INTERFACE

Female connector 8-pin

05.CMB 8181-0



M12 Connector , Field-wireable connector

Analog Push-Pull HTL RS422 TTL

SinCos Open Collector NPN **SSI**

BISS
INTERFACE

Male connector 8-pin

05.CMBS 8181-0



M12 Connector , T- Connector Field-wireable connector


CANopen **CANopen**
LIFT **SAE J1939**

odbus

Male connector 5-pin

05.FKM5-FKM5-FSM5





M12 Connector , Lead-through

Field-wireable connector



Female connector 5-pin

05.FKW-FSW45/M12



M12 Connector , Abschlusswiderstand

Field-wireable connector



odbus

Male connector 5-pin

05.RSE 57 TR2



M12 Connector , Abschlusswiderstand

Field-wireable connector



Male connector 5-pin

05.RSS4.5-PDP-TR



RJ45 Connector ,

Field-wireable connector



Male connector 8-pin

05.VS-08-RJ45-5-Q/IP20





M12 Connector , T-Connector
Field-wireable connector

CANopen
CANopen LIFT
SAE J1939
odbus

Male connector 5-pin

05.WAKS5-WAKS5-WASS5



M12 Connector ,
Field-wireable connector

EtherNet/IP
EtherCAT
Conformance tested
PROFINET

Male connector 4-pin

05.WASCSY4S



M23 Connector ,
Field-wireable connector

Push-Pull HTL RS422 TTL SinCos
Open Collector NPN SSI SinCos
SSI RS422 BISS INTERFACE SinCos
BISS INTERFACE RS422

Female connector 12-pin

8.0000.5012.0000



M23 Connector ,
Field-wireable connector

Push-Pull HTL RS422 TTL SinCos
Open Collector NPN SSI SinCos
SSI RS422 BISS INTERFACE SinCos
BISS INTERFACE RS422

Male connector 12-pin

8.0000.5015.0000



M23 Connector ,
Field-wireable connector

Push-Pull HTL RS422 TTL SinCos


Male connector 12-pin

8.0000.5015.0001





M23 Connector ,
Field-wireable connector



Female connector 12-pin

8.0000.5017.0000



M23 Connector ,
Field-wireable connector

Female connector 17-pin

8.0000.5042.0000



MIL Connector ,
Field-wireable connector



Female connector 7-pin

8.0000.5052.0000



MIL Connector ,
Field-wireable connector



Female connector 10-pin

8.0000.5062.0000



M12 Connector ,
Field-wireable connector



Male connector 5-pin

8.0000.5111.0000





M12 Connector , for the Ex-area
Field-wireable connector

CANopen SAE **J1939** *odbus*

IO-Link

Male connector 5-pin

8.0000.5111.0000.Ex



M12 Connector ,
Field-wireable connector

CANopen **CANopen LIFT** SAE **J1939**

odbus

Female connector 5-pin

8.0000.5116.0000



M12 Connector , for the Ex-area
Field-wireable connector

CANopen **CANopen LIFT** SAE **J1939**

odbus **IO-Link**

Female connector 5-pin

8.0000.5116.0000.Ex



M12 Connector , Stainless steel V4A
Field-wireable connector

CANopen **CANopen LIFT** SAE **J1939**

odbus

Female connector 5-pin

8.0000.5116.0000.V4A



M12 Connector ,
Field-wireable connector

PROFI BUS

Male connector 5-pin

8.0000.5118.0000



The right connection technology for every application.
Cables and connectors. Field-wireable – prefabricated – unassembled. M12, M23, MIL, SUB-D, RJ45.

	M12 Connector , Field-wireable connector	Male connector 4-pin	8.0000.5128.0000
EtherNet/IP EtherCAT[®] Conformance tested PROFINET[®]			
	M12 Connector , for the Ex-area Field-wireable connector	Female connector 8-pin	8.0000.5136.0000.Ex
Analog output Push-Pull HTL RS422 TTL SinCos Open Collector NPN SSI BISS INTERFACE			
	M12 Connector , Stainless steel V4A Field-wireable connector	Female connector 8-pin	8.0000.5136.0000.V4A
Analog output Push-Pull HTL RS422 TTL SinCos Open Collector NPN SSI BISS INTERFACE			
	SUB-D Connector , Field-wireable connector	Male connector 9-pin	8.0000.514A.0000
Push-Pull HTL RS422 TTL SinCos			
	SUB-D Connector , Field-wireable connector	Female connector 9-pin	8.0000.514B.0000
Push-Pull HTL RS422 TTL			



M12 Connector , Field-wireable connector

Analog output Push-Pull HTL RS422 TTL

SinCos Open Collector NPN SSI



Female connector 12-pin

8.0000.5162.0000



M12 Connector , for the Ex- area Field-wireable connector

EtherNet/IP EtherCAT Conformance tested PROFIBUS

Male connector 4-pin

8.0000.5191.0000.Ex



M12 Connector , Connectors Field-wireable connector

Female connector 4-pin

8.0000.5202.0000



Cable 10 x 0,14 mm² + 2 x 0,5 mm² , Unassembled by the meter

PUR Ø 6,9 mm ± 0,3 mm
10 x 0,14 mm²

8.0000.6100.XXXX



M23 Connector with cable , Preassembled cable set

Push-Pull HTL RS422 TTL SinCos

Open Collector NPN SSI SSI SinCos

SSI RS422 BISS INTERFACE INTERFACE INTERFACE SinCos

BISS INTERFACE INTERFACE RS422

Female connector 12-pin
PUR Ø 6,9 mm ± 0,3 mm
10 x 0,14 mm²

8.0000.6101.XXXX





Cable 12 x 0,14 mm² ,
Unassembled by the meter

PVC Ø 6,7 mm ± 0,3 mm
12 x 0,14 mm²


8.0000.6200.XXXX



M23 Connector with cable ,
Preassembled cable set

Female connector 12-pin
PVC Ø 6,7 mm ± 0,3 mm
12 x 0,14 mm²

8.0000.6201.XXXX



Cable 5 x 0,14 mm² ,
Unassembled by the meter

PVC Ø 4,7 mm ± 0,2 mm
5 x 0,14 mm²

8.0000.6300.XXXX



Cable 4 x 2 x 0,25 mm² + 2
x 1 mm² ,
Unassembled by the meter

PUR Ø 7,9 mm ± 0,2 mm
4 x 2 x 0,25 mm²

8.0000.6400.XXXX



Cable 5 x 0,75 mm² ,
Unassembled by the meter

TPE Ø 7,5 mm ± 0,3 mm
5 x 0,75 mm²

8.0000.6600.XXXX

The right connection technology for every application.

Cables and connectors. Field-wireable – prefabricated – unassembled. M12, M23, MIL, SUB-D, RJ45.



Cable 18 x 0,14 mm² ,
Unassembled by the meter

PVC Ø 7,8 mm ± 0,2 mm
18 x 0,14 mm²

8.0000.6700.XXXX



M23 Connector with cable ,
Preassembled cable set

Female connector 17-pin
PVC Ø 7,8 mm ± 0,2 mm
18 x 0,14 mm²

8.0000.6741.XXXX



Cable 6 x 2 x 0,14 mm² ,
Unassembled by the meter

PVC Ø 7,3 mm ± 0,2 mm
6 x 2 x 0,14 mm²


8.0000.6900.XXXX



M23 Connector with cable ,
Preassembled cable set

Female connector 12-pin
PVC Ø 7,3 mm ± 0,2 mm
6 x 2 x 0,14 mm²


8.0000.6901.XXXX



M23 Connector with cable ,
Preassembled cable set

Female connector 12-pin
PVC Ø 7,3 mm ± 0,2 mm
6 x 2 x 0,14 mm²

8.0000.6901.XXXX.0031





M23 Connector with cable , Preassembled cable set



Female connector 12-pin




Male connector 12-pin
PVC Ø 7,3 mm ± 0,2 mm
6 x 2 x 0,14 mm²

8.0000.6905.XXXX



M23 Connector with cable , Preassembled cable set



Female connector 12-pin



Male connector 12-pin
PVC Ø 7,3 mm ± 0,2 mm
6 x 2 x 0,14 mm²

8.0000.6905.XXXX.0032



Cable 4 x 0,10 mm² + 4 x 2
x 0,10 mm² ,
Unassembled by the meter

PVC Ø 5,8 mm ± 0,3 mm
4 x 0,10 mm²

8.0000.6D00.XXXX



Cable Connector with cable
, Printed circuit board
connector
Preassembled cable set



Female connector 12-pin
PVC Ø 7,0 mm ± 0,3 mm
16 x 0,14 mm²

8.0000.6D91.XXXX





**Cable Connector with cable
, Printed circuit board
connector**
Preassembled cable set



Male connector 12-pin
PVC Ø 7,0 mm ± 0,3 mm
16 x 0,14 mm²

8.0000.6D91.XXXX.0097




**Cable 5 x 2 x 0,14 mm² + 2
x 0,5 mm² ,**
Unassembled by the meter

TPE Ø 8,5 mm ± 0,9 mm
5 x 2 x 0,14 mm²

8.0000.6E00.XXXX



M23 Connector with cable ,
Preassembled cable set



Female connector 12-pin
TPE Ø 8,5 mm ± 0,9 mm
5 x 2 x 0,14 mm²

8.0000.6E01.XXXX



**Cable 3 x 2 x 0,14 mm² + 2
x 0,5 mm² ,**
Unassembled by the meter

PUR Ø 7,5 mm ± 0,2 mm
3 x 2 x 0,14 mm²

8.0000.6F00.XXXX



**Cable 10 x 0,14 mm² + 2 x
0,34 mm² , 8-00006J00-
XXXX**
Unassembled by the meter

PUR Ø 7,4 mm ± 0,3 mm
10 x 0,14 mm²

8.0000.6J00.XXXX



M23 Connector with cable
Preassembled cable set




Female connector 12-pin
PUR Ø 6,7 mm ± 0,3 mm
10 x 0,14 mm²

8.0000.6J01.00xx.0043





M23 Connector with cable , Preassembled cable set




Female connector 12-pin
PUR Ø 6,7 mm ± 0,3 mm
10 x 0,14 mm²

8.0000.6J01.00XX.0051



M23 Connector with cable , Preassembled cable set



Female connector 12-pin
PUR Ø 6,7 mm ± 0,3 mm
10 x 0,14 mm²

8.0000.6J07.00xx.0043



Cable 8 x 0,14 mm² , Unassembled by the meter

PUR Ø 5,5 mm ± 0,2 mm
8 x 0,14 mm²

8.0000.6P00.XXXX



Cable 6 x 2 x 0,14 mm² , for the Ex-area Unassembled by the meter

PUR Ø 7,80 mm ± 0,20 mm
6 x 2 x 0,14 mm²

8.0000.6Q00.0000



Cable 3 x 2 x 0,25 mm² , Unassembled by the meter

PVC Ø 6,2 mm ± 0,2 mm
3 x 2 x 0,25 mm²

8.0000.6V00.XXXX



Cable 6 x 2 x 0,14 mm² , 8- 0000-6Y00-XXXX Unassembled by the meter

PUR Ø 7,5 mm ± 0,2 mm
6 x 2 x 0,14 mm²

8.0000.6Y00.XXXX



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: kgu@nt-rt.ru || сайт: <https://kubler.nt-rt.ru/>